

Record of Water Well

Indiana Department of Natural Resources

Reference Number 180630	Driving directions to well SPEEDWAY		Date completed Sep 22, 1961	
Owner-Contractor	Name	Address	Telephone	
Owner	CHAS GREEN	4042 W VERMONT		
Driller	MANFORD DILAN	841 W SUMNER AVE		
Operator	NOLES CREED	License: null		
Construction Details				
Well	Use: Home	Drilling method: Cable Tool	Pump type:	
	Depth: 35.0	Pump setting depth:	Water quality:	
Casing	Length: 35.0	Material:	Diameter: 4.5	
Screen	Length: 0.5	Material:	Diameter: 3.0 Slot size: 6	
Well Capacity Test	Type of test: Pumping	Test rate: 10.0 gpm for 1.5 hrs.	BailTest rate: gpm for hrs.	
	Drawdown: 0.0 ft.	Static water level: 20.0 ft.	Bailer Drawdown ft.	
Grouting Information	Material:	Depth: from to		
	Installation Method:	Number of bags used:		
Well Abandonment	Sealing material:	Depth: from to		
	Installation Method:	Number of bags used:		
Administrative	County: MARION		Township: 15N Range: 3E	
	Section: SE of the SW of the NW of Section 5		Topo map: INDIANAPOLIS WEST	
	Grant Number:			
	Field located by:		on:	
	Courthouse location by:		on:	
	Location accepted w/o verification by:		on:	
	Subdivision name:		Lot number:	
	Ft W of EL:	Ft N of SL:	Ft E of WL: Ft S of NL:	
	Ground elevation:	Depth to bedrock:	Bedrock elevation: Aquifer elevation:	
	UTM Easting:		UTM Northing:	
Well Log	Top	Bottom	Formation	
	0.0	5.0	YEL CLAY	
	5.0	18.0	SANDY HARDPAN	
	18.0	25.0	DRY SAND	
	25.0	35.0	S&G	
Comments				

Record of Water Well

Indiana Department of Natural Resources

Reference Number	Driving directions to well	Date completed
54035	S OF MICHIGAN ST ON ROENA TO VERMONT. E TO 4044 W VERMONT.	Jan 29, 1981

Owner-Contractor	Name	Address	Telephone
Owner	ALBERT RAY	4044 W VERMONT, INDPLS IN	
Driller	MILLS PUMP & WELL DRILLING INC	2508 W MICHIGAN ST, INDPLS IN	
Operator	RUSSELL MILLS	License: null	

Construction Details

Well	Use: Home	Drilling method: Rotary	Pump type:
	Depth: 75.0	Pump setting depth:	Water quality:
Casing	Length: 72.0	Material:	Diameter: 4.0
Screen	Length: 3.0	Material:	Diameter: 4.0 Slot size: 40

Well Capacity Test	Type of test:	Test rate: gpm for hrs.	BailTest rate: 10.0 gpm for 1.0 hrs.
	Drawdown: ft.	Static water level: 20.0 ft.	Bailer Drawdown 10.0 ft.

Grouting Information	Material:	Depth: from to
	Installation Method:	Number of bags used:

Well Abandonment	Sealing material:	Depth: from to
	Installation Method:	Number of bags used:

Administrative	County: MARION	Township: 15N Range: 3E	
	Section: NW of the NE of the SW of Section 5	Topo map: INDIANAPOLIS WEST	
	Grant Number:		
	Field located by: MCBN	on: Jan 01, 1992	
	Courthouse location by:	on:	
	Location accepted w/o verification by: BRUNS	on: Dec 21, 1982	
	Subdivision name:	Lot number:	
	Ft W of EL:	Ft N of SL:	Ft E of WL: Ft S of NL:
	Ground elevation: 717.0	Depth to bedrock:	Bedrock elevation: Aquifer elevation: 642.0
	UTM Easting: 566010.0		UTM Northing: 4402525.0

Well Log	Top	Bottom	Formation
	0.0	1.0	BLANK
	1.0	21.0	CLAY GRAY
	21.0	70.0	CLAY BLUE
	70.0	75.0	SAND BLUE

Comments

Record of Water Well

Indiana Department of Natural Resources

Reference Number 54036	Driving directions to well 4012 COSSELL RD.		Date completed Jan 13, 1977
Owner-Contractor	Name	Address	Telephone
Owner	LEON PEDIGO		
Driller	HAMILTON BROS INC.	PO BOX 24181, INDPLS IN	
Operator	ED RANDOLPH	License: null	
Company	PEDIGO & YOUNG		
Construction Details			
Well	Use: Home	Drilling method: Cable Tool	Pump type:
	Depth: 62.0	Pump setting depth:	Water quality:
Casing	Length: 59.0	Material:	Diameter: 4.0
Screen	Length: 3.0	Material:	Diameter: 4.0 Slot size: .060
Well Capacity Test	Type of test: Pumping	Test rate: 10.0 gpm for 1.0 hrs.	BailTest rate: gpm for hrs.
	Drawdown: ft.	Static water level: ft.	Bailer Drawdown: ft.
Grouting Information	Material:	Depth: from to	
	Installation Method:	Number of bags used:	
Well Abandonment	Sealing material:	Depth: from to	
	Installation Method:	Number of bags used:	
Administrative	County: MARION	Township: 15N Range: 3E	
	Section: SW of the SE of the NW of Section 5	Topo map: INDIANAPOLIS WEST	
	Grant Number:		
	Field located by: MCBN	on: Jan 01, 1992	
	Courthouse location by:	on:	
	Location accepted w/o verification by: WH	on: Jul 07, 1977	
	Subdivision name:	Lot number:	
	Ft W of EL:	Ft N of SL:	Ft E of WL: Ft S of NL:
	Ground elevation: 717.0	Depth to bedrock:	Bedrock elevation: Aquifer elevation: 655.0
	UTM Easting: 566060.0	UTM Northing: 4402600.0	
Well Log	Top	Bottom	Formation
	0.0	1.0	TOPSOIL & CLAY
	1.0	35.0	S&G
	35.0	62.0	BR CLAY
Comments			

Record of Water Well

Indiana Department of Natural Resources

Reference Number 180291	Driving directions to well 4140 W VERMONT	Date completed Nov 08, 1982
--	---	---------------------------------------

Owner-Contractor	Name	Address	Telephone
Driller	HAMILTON BROS INC	PO BOX24181,4025 ROCKVILLE ROAD,INDIANAPOLIS, IND	
Operator	DESTER HARNESS	License: null	
Company	DONALD STEVENS		

Construction Details

Well	Use: Home	Drilling method: Rotary	Pump type:
	Depth: 36.0	Pump setting depth:	Water quality:
Casing	Length: 32.0	Material:	Diameter: 4.0
Screen	Length: 4.0	Material:	Diameter: 4.0 Slot size: 60

Well Capacity Test	Type of test:	Test rate: 10.0 gpm for 1.0 hrs.	BailTest rate: gpm for hrs.
	Drawdown: 5.0 ft.	Static water level: 20.0 ft.	Bailer Drawdown ft.

Grouting Information	Material:	Depth: from to
	Installation Method:	Number of bags used:

Well Abandonment	Sealing material:	Depth: from to
	Installation Method:	Number of bags used:

Administrative	County: MARION	Township: 15N Range: 3E
	Section: SW of the NW of Section 5	Topo map: INDIANAPOLIS WEST
	Grant Number:	
	Field located by:	on:
	Courthouse location by:	on:
	Location accepted w/o verification by: BRUNS	on: Dec 21, 1982
	Subdivision name:	Lot number:
	Ft W of EL:	Ft E of WL: Ft S of NL:
	Ft N of SL:	Bedrock elevation: Aquifer elevation:
	Ground elevation:	UTM Northing:
	Depth to bedrock:	
	UTM Easting:	

Well Log	Top	Bottom	Formation
	0.0	15.0	TOPSOIL & CLAY
	15.0	36.0	GRAV

Comments

Record of Water Well

Indiana Department of Natural Resources

Reference Number 180316	Driving directions to well		Date completed Jan 15, 1981
Owner-Contractor	Name	Address	Telephone
Owner	GUY CRAWFORD	4018 W VERMONT	
Driller	MATLOCK WELL DRILLING	401 W MORRIS ST	
Operator	JERRY OAKLEY	License: null	
Construction Details			
Well	Use: Home	Drilling method: Rotary	Pump type:
	Depth: 75.0	Pump setting depth:	Water quality:
Casing	Length: 75.0	Material:	Diameter: 4.0
Screen	Length: 5.0	Material:	Diameter: 4.0 Slot size: #6
Well Capacity Test	Type of test:	Test rate: gpm for hrs.	BailTest rate: 5.0 gpm for 1.0 hrs.
	Drawdown: ft.	Static water level: 20.0 ft.	Bailer Drawdown ft.
Grouting Information	Material:	Depth: from to	
	Installation Method:	Number of bags used:	
Well Abandonment	Sealing material:	Depth: from to	
	Installation Method:	Number of bags used:	
Administrative	County: MARION	Township: 15N Range: 3E	
	Section: NW of the SW of Section 5	Topo map:	INDIANAPOLIS WEST
	Grant Number:		
	Field located by:	on:	
	Courthouse location by:	on:	
	Location accepted w/o verification by: BRUNS	on: Feb 19, 1981	
	Subdivision name:	Lot number:	
	Ft W of EL:	Ft N of SL:	Ft E of WL: Ft S of NL:
	Ground elevation:	Depth to bedrock:	Bedrock elevation: Aquifer elevation:
	UTM Easting:		UTM Northing:
Well Log	Top	Bottom	Formation
	0.0	3.0	TOPSOIL
	3.0	10.0	OVERBURDEN
	10.0	38.0	GRAV
	38.0	75.0	OVERBURDEN
Comments			